

Revision Date: October 13, 2015

SECTION 1: IDENTIFICATION

Product Name: HY-END BIFEN ITP **EPA Registration No.:** 53883-250-83996

Recommended Use: Insecticide; See product label for a complete list of uses and use sites. **Restrictions on Use:** See product label for any restrictions on the use of this product.

Chemical Family: Pyrethroid

Chemical Name of Active Bifenthrin: 2-Methyl-3-phenylphenyl)methyl (1S,3S)—[(Z)-2-chloro-3,3,3-

Ingredient(s): trifluroroprop-1-enyl]-2,2-dimethylcyclopropane-1-carboxylate

Manufactured for: NaturChem Inc.

270 Bruner Road Lexington, SC 29072

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: <u>CHEMTREC 1-800-424-9300</u> FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: 800-222-1222

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Tan granule with a slight musty odor.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Specific Target Organ Toxicity – Repeated Exposure	Category 1
Carcinogenicity	Category 1A

Signal Word: DANGER



Hazard Statement(s): Causes damage to organs (lung/respiratory system) through prolonged or

repeated exposure (inhalation). May cause cancer (inhalation).

Precautionary Statement(s):

Prevention: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response: IF EXPOSED OR CONCERNED: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with Federal, state and local

laws and regulations.

The following percentage of the mixture consists of components with unknown hazards regarding the acute toxicity:

100% Acute oral toxicity100% Acute dermal toxicity100% Acute Inhalation toxicity

100% Eye irritation

HY-END BIFEN ITP

Revision Date: October 13, 2015

100% Skin irritation

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Bifenthrin	82657-04-3	0.2%
Dolomite Limestone (contains)	16389-88-1	0 – 99.0%
Crystalline silica	14808-60-7	0 – 15.0%

^{*}Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIR	ST AID MEASURES
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 1 5 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Note to Physician: This product is a pyrethroid. If large amounts have been ingested, the stomach and intestine should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils or alcohol may increase absorption and should be avoided.

Most important symptoms/effects, acute and delayed: Acute symptoms include irritation to eyes, skin and respiratory tract. Repeated inhalation may cause silicosis or cancer.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use appropriate extinguishing media for surrounding fire.

Unsuitable Extinguishing Media: Heavy water stream

Hazardous Combustion Products: Thermal decomposition may produce oxides of carbon, nitrogen,

calcium and magnesium.

Special Protective Equipment &

Precautions:

Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear

(Bunker gear).

Unusual Fire & Explosion Hazards: None known

Page **3** of **7**

HY-END BIFEN ITP

Revision Date: October 13, 2015

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: See Section 8 for personal protection equipment.

Environmental Precautions: Keep spilled material and any rinsate from contaminating soil or from entering

sewage and drainage systems and bodies of water.

Methods for Containment: Isolate the spill area. Keep unnecessary and unprotected personnel from

entering. Avoid inhalation of dust. Avoid actions that cause dust to become

airborne.

Methods for Clean-up: Uncontaminated product may be placed in a container for use according to

label directions. Do not put spilled material back in the original container. Avoid actions that cause dust to become airborne during dry clean-up such as sweeping or using compressed air. Use HEPA vacuum or thoroughly wet with water to clean-up dust. Pick up wash liquid with additional absorbent and

place in a disposable container.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL

BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental splashes of the concentrate or spray mixture from

skin, clothing and out of eyes.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food

or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from

children and animals.

Storage Temperature (Min/Max): Not determined

Product Incompatibilities: Hydrofluoric acid. Strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Crystalline silica	250 mppcf/%SiO ₂ +5 (STEL) 10 mg/m ³ /%SiO ₂ +2 (STEL)	0.025 mg/m³ (TWA)	0.05 mg/m³ (TWA)

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne

concentrations below OSHA PELs or other specified exposure limits. Local exhaust

ventilation is preferred.

Page **4** of **7**

HY-END BIFEN ITP

Revision Date: October 13, 2015

Respiratory Protection: In areas of poor ventilation or where exposure limits are exceeded, use a NIOSH

approved respirator with cartridges/canisters approved for pesticides and silica

dust.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile,

neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the

toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot

water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Upper/Lower Flammability Limits: Not determined Appearance: Tan granule (solid) **Vapor Pressure:** Odor: Slight musty odor Not applicable **Odor Threshold:** Not applicable Not determined Vapor Density: 100 lbs/ft³ pH (1% dispersion): **Bulk Density:** Not applicable **Melting /Freezing Point:** Not determined Solubility: Not determined **Partition Coefficient:** Not determined **Boiling Point/Range:** Not determined Flash Point: Not determined **Auto-ignition Temperature:** Not determined **Evaporation Rate:** Not determined **Decomposition Temperature:** Not determined Not applicable Flammability: Not applicable **Viscosity:**

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Dolomitic limestone dissolves in hydrofluoric acid, producing

corrosive silicon tetrafluoride gas. Silicates react with powerful oxidizers such as fluorine, boron trifluoride, chlorine trifluoride,

manganese trifluoride and oxygen trifluoride.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: No potential for hazardous reactions known unless mixed with

incompatible substances.

Conditions to Avoid: Excessive heat.

Incompatible Materials: Hydrofluoric acid. Strong oxidizers.

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon, nitrogen,

calcium and magnesium.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eye contact, Skin contact, Inhalation, Ingestion **Symptoms of Exposure:** Irritation of eyes, skin and respiratory tract.

Oral LD₅₀: Not determined Dermal LD₅₀: Not determined Inhalation LC₅₀: Not determined Eye Irritation/Damage: Not determined

Page **5** of **7**

HY-END BIFEN ITP

Revision Date: October 13, 2015

Skin Corrosion/Irritation: Not determined Skin Sensitization: Not determined

Chronic/Subchronic Toxicity: Crystalline silica is known to cause silicosis after repeated inhalation. There

are three types of silicosis: 1) simple chronic silicosis – results from long-term exposure (more than 20 years) to low amounts of respirable crystalline silica;

2) Accelerated silicosis – occurs after exposure to larger amounts of respirable crystalline silica over a shorter period of time (5-15 years); 3) Acute silicosis – results from short-term exposure to very large amounts of

respirable crystalline silica.

Mutagenicity:No data availableReproductive Toxicity:No data availableNeurotoxicity:No data available

Target Organs: Lungs, respiratory system

Aspiration Hazard: Not anticipated to be an aspiration hazard.

Carcinogenicity: See below.

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica		Group 1	Known Human	
			Carcinogens	

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

ECOTOXICITY DATA: Data presented below is on the bifenthrin technical product.

Fish Toxicity: S. gairdneri: 96-hour $LC_{50} = 0.1 \text{ mg/L}$ Aquatic Invertebrate Toxicity: Daphnia magna: 96-hour $EC_{50} = 0.65 \text{ mg/L}$

Aquatic Plant Toxicity: P. subcapitata: $EC_{50} = 11.04 \text{ mg/L}$ Avian Toxicity: Bobwhite quail: oral $LD_{50} = 1800 \text{ mg/kg}$

Honeybee Toxicity: Oral LD₅₀ = $0.39 \mu g/bee$

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: No data available
Bioaccumulation: No data available
Mobility: No data available
Other Adverse Effects: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are

toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in

proper disposal methods.

Page **6** of **7**

HY-END BIFEN ITP

Revision Date: October 13, 2015

Container Disposal: Refer to the pesticide label for full information on disposal. When possible, triple

rinse the container and offer for recycling if available.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the

RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION

DOT

Not regulated

IMDG

(Ground):

UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin), 9, PGIII

(Sea): IATA

UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin), 9, PGIII

(Air):

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA

regulated use.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Chronic (Delayed)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values (lbs)
None listed			, ,

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
Crystalline silica	14808-60-7	Cancer

Page **7** of **7**

HY-END BIFEN ITP

Revision Date: October 13, 2015

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin	Χ		
Crystalline silica	Χ	X	X

SECTION 16: OTHER INFORMATION

Disclaimer: NaturChem Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. NaturChem Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 13, 2015

Document Superseded: August 19, 2015

Revision Note: Update to SDS format